

OLYMPIC STONE & MARBLE



THE FINER ALTERNATIVE TO BRICK PAVERS

www.olympicstone.com

Lasting Impressions




Olympic Stone & Marble only imports the finest hand selected natural stone. The Olympic product line is ideal for exterior sand-set applications as well as traditional interior settings. Several different finishes are available including tumbled, chiseled, brushed, honed and polished. Each unique finish allows for a variety of styles and motifs. Its beauty adds enduring visual appeal and value to any property or development.



Elegance

Our dedication to our clients is our purpose

ALL PRINTED OR INTERNET MATERIALS ARE NOT ASSUMED TO REPRESENT ACCURATE COLOR OR TEXTURE DUE TO PRINT OPTIONS, DESIGN SETTINGS AND THE NATURE OF NATURAL STONE. PLEASE ASK YOUR REPRESENTATIVE FOR A SAMPLE BEFORE ORDERING.



Olympic Stone & Marble products are practical offering various colors and sizes as well as matching bullnose for pool coping and steps. Our wide variety of colors and sizes allow for an array of design styles and motifs. Olympic pavers range in size from 4 x 8 to 24 x 24 and are offered in seven distinct colors. Plus, Olympic is constantly adding new and exciting additions to its comprehensive natural stone collection.



Our entire product line is available nationwide

Beauty

Why Choose Tumbled Natural Stone Pavers?

D

Durable - Tumbled stone is stronger and more durable than concrete pavers or chiseled natural stone. Low maintenance requirements reduce ongoing cost

Safe - Tumbled natural stone is non-skid even when wet

Long Lasting - Continual wetting will not degrade the surface or wash out the colors

Aesthetically Pleasing - The timeless beauty of tumbled natural stone adds enduring visual appeal and value to any property

Practical - All of our pavers have matching bullnose for pool coping and steps

Sand-Set Application - Our standard 1" patio paver is perfect for any pool deck or patio in a sand-set application



Lasting

Contact Olympic for all of your Stone & Marble needs



Why Choose Olympic Stone?

P Product:

- Consistent dimensions and thicknesses
- Strategically implemented shipping and packaging methods
- Proper tumbling process on all tumbled materials
- Fabrication available
- Matching bullnose and pavers

S Service:

- Our dedication to our client is our purpose
- Each representative strives to develop lasting relationships
- We make each of your projects our #1 priority
- Millions of dollars in material in-stock daily for timely delivery



We strive to develop long lasting relationships

Quality

Residential

Excellence *in*
Everything we do...

lasting



Practical

We only import the finest hand selected natural stone

elegant



quality



At Olympic, It's not just a paver, it's an image

Luxury

Commercial

Making a
Lasting Impression...



value



Variety

Several different finishes for interior & exterior applications

selection



appeal



Add value and appeal to any property or development

Enduring

F.A.Q

Answers

to common questions



Question: What is the difference between marble and travertine?

Answer: They are both natural stones. Travertine, which is generally more pitted and varied in color, is often referred to as giving an "old world, rustic, Mediterranean or antique" look. Marble, which generally has less pitting and a more consistent surface, is often described as giving a more elegant or contemporary look.

Question: How are natural stone pavers installed? Can natural stone pavers be sand-set?

Answer: They are sand-set, just like any other paver. The installer should follow the basic ICPI applications and processes that are appropriate for the local conditions.



Question: Can you place marble over an existing deck?

Answer: Yes! And you can sand-set it.

Question: Is it hot like other decks?

Answer: Actually, just the opposite, natural stone tends to stay cool even on the hottest days.

Question: Does natural stone stain?

Answer: It doesn't, if you rinse it off in a reasonable period of time. Should the stone get a stain though, there are products that will clean it.

Upgrade

Does not fade unlike a traditional brick paver

Question: Does the color fade?

Answer: Natural stone does not fade like traditional cool decks or other man made pavers.

Question: How hard is it to clean?

Answer: For the most part, rinsing the deck on a regular basis is more than enough to keep it clean.

Question: What about sealing?

Answer: It is a personal choice to seal or not. Applying a color enhancer is also your choice. If you would like it sealed, Olympic offers a product made by Miracle Sealants Company.

Question: Is it slippery when wet?

Answer: Not at all. Actually, it is much less slippery than traditional cool decks. In fact, Olympic has had its product tested and all meet or exceed Miami / Dade slip coefficient requirements.



Question: Can you use travertine in a driveway?

Answer: To avoid cracking, you need to use a natural stone manufactured specifically for driveways. Olympic carries a variety of products for driveways including a 2 1/4" product as well as granite.

Question: How does the price of natural stone compare to other pavers?


Answer: There is no comparison. The elegance, beauty and value of natural stone far exceed any additional cost.



One of Olympic's strengths is its inventory

Strength

Color Selections



Olympic Gold – Tumbled Travertine

Olympic Gold exemplifies the rustic design concept. With a wide range of color variation, this product is sure to draw attention.



Pavers and bullnose available in various sizes

For More Info Call Toll Free: 866-407-8663

OLYMPIC
STONE & MARBLE

Visit Our Website at: www.olympicstone.com

Color Selections



Olympic Pearl – Tumbled Marble

Olympic Pearl epitomizes elegance. With its consistent color, varying veining and vein coloring, Olympic Pearl provides an undeniable charm to any pool deck or patio. Because Olympic Pearl is a tumbled marble and not a travertine, it is not porous, which makes it perfect for any exterior or interior application.



Pavers and bullnose available in various sizes

For More Info Call Toll Free: 866-407-8663

OLYMPIC
STONE & MARBLE

Visit Our Website at: www.olympicstone.com

Color Selections



Olympic Walnut – Tumbled Travertine

Olympic Walnut is a chocolate colored travertine, which has a wide range of brown tones. This application is perfect for a natural appeal as the browns are subtle, yet rich.



Pavers and bullnose available in various sizes

For More Info Call Toll Free: 866-407-8663

OLYMPIC
STONE & MARBLE


Visit Our Website at: www.olympicstone.com

Color Selections



Olympic Oxford – Tumbled Travertine

Olympic Oxford is a beautiful blend of color variation. The staple tone in Olympic Oxford is beige; however, its color ranges from a Gold tone all the way to a light Walnut. Olympic Oxford is the perfect application for an earth toned atmosphere.



Pavers and bullnose available in various sizes

For More Info Call Toll Free: 866-407-8663

OLYMPIC
STONE & MARBLE

Visit Our Website at: www.olympicstone.com

Color Selections



Olympic Rose – Tumbled Marble

Olympic Rose has the elegance of Olympic Pearl while providing a tropical flare with soft pink tones and varied veining.



Pavers and bullnose available in various sizes

For More Info Call Toll Free: 866-407-8663



Visit Our Website at: www.olympicstone.com


Color Selections



Olympic Tahoe – Tumbled Marble

Bring the beauty and style of Key West right into your backyard. Olympic Tahoe is sure to draw attention to any patio or pool deck.

Color Selections



Olympic Ice – Tumbled Marble

Olympic Ice is that perfect cool finish that you have been looking for. With subtle hints of blue and exhilarating white tones, this application will enhance the blue in your pool and create a soothing environment.

Bullnose / Coping



4"x9"



4"x12"



12"x12"



12"x24"

**Thickness
1.5"**

Available in all colors



Gold Walnut Rose Oxford Pearl Tahoe Ice

**OLYMPIC
STONE & MARBLE**

866-40-STONE

Bullnose / Coping



Available in all colors



Gold Walnut Rose Oxford Pearl Tahoe Ice

OLYMPIC
STONE & MARBLE
866-40-STONE

Bullnose / Coping



Remodeled
Thickness
3.25"



Available in all colors




Gold Walnut Rose Oxford Pearl Tahoe Ice

OLYMPIC
STONE & MARBLE
866-40-STONE


Pattern Selections

PATTERN 1




Square Footage %	
8"x16"	100%

PATTERN 2




Square Footage %	
16"x16"	44%
8"x16"	44%
8"x8"	12%

PATTERN 3



Square Footage %	
16"x16"	57%
8"x16"	29%
8"x8"	14%


PATTERN 4



Square Footage %	
	100%


Pattern Selections

PATTERN 5




Square Footage %	
16"x16"	33%
8"x16"	17%
8"x8"	50%

PATTERN 6




Square Footage %	
16"x16"	80%
8"x8"	20%

PATTERN 7



Square Footage %	
16"x16"	25%
8"x16"	50%
8"x8"	25%


PATTERN 8



Square Footage %	
8"x16"	100%


Pattern Selections

PATTERN 9




Square Footage %	
16"x16"	11%
16"x24"	67%
8"x8"	22%

PATTERN 10




Square Footage %	
8"x16"	89%
8"x8"	11%

PATTERN 11



Square Footage %	
16"x24"	47%
8"x16"	27%
16"x16"	20%
8"x8"	7%


PATTERN 12



Square Footage %	
16"x24"	75%
8"x8"	25%


Pattern Selections

PATTERN 13




Square Footage %	
16"x16"	50%
8"x8"	50%

PATTERN 14



Square Footage %	
16"x16"	56%
8"x8"	44%

ASHLAR PATTERN



Square Footage %	
16"x24"	33.34%
16"x16"	44.44%
8"x16"	11.11%
8"x8"	11.11%

Product Specifications

Tumbled Marble and Travertine

Bullnose Specifications

Product	Finish	Size	Thick-ness	SQFT/LF Per Crate	Pieces Per Crate	Weight Per Crate
Bullnose	Tumbled	4"x9"	1.5"	160 LF	480 pcs.	2523 LBS.
Bullnose	Tumbled	4"x12"	1.5"	120 LF	360 pcs	2589 LBS.
Bullnose	Tumbled	12"x12"	1.5"	120 LF	120 pcs.	2589 LBS.
Bullnose	Tumbled	12"x24"	1.5"	120 LF	60 pcs.	2604 LBS.
Bullnose	Tumbled	4"x9"	2 1/4"	104 LF	312 pcs.	2522 LBS.
Bullnose	Tumbled	4"x12"	2 1/4"	78 LF	234 pcs.	2520 LBS.
Bullnose	Tumbled	12"x12"	2 1/4"	78 LF	78 pcs.	2533 LBS.
Bullnose	Tumbled	12"x24"	2 1/4"	78 LF	39 pcs.	2533 LBS.
Bullnose	Tumbled	6"x9"	2 1/4"	104 LF	208 pcs.	2527 LBS.
Bullnose	Tumbled	6"x12"	2 1/4"	78 LF	156 pcs.	2527 LBS.
Remodel Bullnose	Tumbled	6"x9"	3.25"	92 LF	184 pcs.	1305 LBS.
Remodel Bullnose	Tumbled	6"x12"	3.25"	76 LF	152 pcs.	1261 LBS.
Remodel Bullnose	Tumbled	12"x12"	3.25"	80 LF	80 pcs.	1323 LBS.

Tile Specifications

Product	Finish	Size	Thick-ness	SQFT/LF Per Crate	Pieces Per Crate	Weight Per Crate
Tiles	Tumbled	8"x8"	5/8"	214 SQF	480 pcs.	1832 LBS.
Tiles	Tumbled	8"x16"	5/8"	214 SQF	240 pcs.	1832 LBS.
Tiles	Tumbled	12"x12"	5/8"	248 SQF	248 pcs.	2099 LBS.
Tiles	Tumbled	16"x16"	5/8"	214 SQF	120 pcs.	1813 LBS.
Tiles	Tumbled	18"x18"	5/8"	270 SQF	120 pcs.	2273 LBS.
Tiles	Tumbled	16"x24"	5/8"	278 SQF	104 pcs.	2333 LBS.
Tiles	Tumbled	Ashlar Pattern	5/8"	272 SQF	204 pcs.	2289 LBS.

Product Specifications

Paver Specifications

Product	Finish	Size	Thick-ness	SQFT/LF Per Crate	Pieces Per Crate	Weight Per Crate
Thin Pavers	Tumbled	4"x8"	1"	128 SQF	576 pcs.	1852 LBS.
Thin Pavers	Tumbled	6"x12"	1"	144 SQF	288 pcs.	2073 LBS.
Thin Pavers	Tumbled	8"x8"	1"	128 SQF	288 pcs.	1852 LBS.
Thin Pavers	Tumbled	8"x16"	1"	128 SQF	144 pcs.	1852 LBS.
Thin Pavers	Tumbled	12"x12"	1"	144 SQF	144 pcs.	2073 LBS.
Thin Pavers	Tumbled	16"x16"	1"	128 SQF	72 pcs.	1852 LBS.
Thin Pavers	Tumbled	18"x18"	1"	162 SQF	72 pcs.	2320 LBS.
Thin Pavers	Tumbled	12"x24"	1"	144 SQF	72 pcs.	2075 LBS.
Thin Pavers	Tumbled	16"x24"	1"	171 SQF	64 pcs.	2441 LBS.
Thin Pavers	Tumbled	24"x24"	1"	144 SQF	36 pcs.	2075 LBS.
Pavers	Chiseled	6"x12"	1 1/4"	199.5 SQF	399 pcs.	2992 LBS.
Pavers	Tumbled	4"x8"	1 1/2"	145 SQF	660 pcs.	3087 LBS.
Pavers	Tumbled	8"x8"	1 1/2"	85 SQF	192 pcs.	1874 LBS.
Pavers	Tumbled	6"x12"	1 1/2"	96 SQF	192 pcs.	2050 LBS.
Pavers	Tumbled	8"x16"	1 1/2"	85 SQF	96 pcs.	1874 LBS.
Thick Pavers	Tumbled	4"x8"	2 1/4"	57 SQF	256 pcs.	1900 LBS.
Thick Pavers	Tumbled	8"x8"	2 1/4"	57 SQF	128 pcs.	1900 LBS.
Thick Pavers	Tumbled	6"x12"	2 1/4"	64 SQF	128 pcs.	2134 LBS.
Thick Pavers	Tumbled	8"x16"	2 1/4"	57 SQF	64 pcs.	1900 LBS.
Thick Pavers	Tumbled	12"x12"	2 1/4"	64 SQF	64 pcs.	2134 LBS.
Thick Pavers	Tumbled	16"x16"	2 1/4"	57 SQF	32 pcs.	1900 LBS.
Thick Pavers	Tumbled	18"x18"	2 1/4"	72 SQF	32 pcs.	2385 LBS.
Thick Pavers	Tumbled	16"x24"	2 1/4"	75 SQF	28 pcs.	2471 LBS.
Thick Pavers	Tumbled	24"x24"	2 1/4"	64 SQF	16 pcs.	2134 LBS.

Technical Specifications

Freeze Thaw Marble & Travertine

Sample	Cycles	Result
Tumbled Olympic Pearl	125	No evidence of cracks or defects present
Tumbled Olympic Rose	125	No evidence of cracks or defects present
Tumbled Olympic Walnut	125	No evidence of cracks or defects present
Tumbled Olympic Oxford	125	No evidence of cracks or defects present
Tumbled Olympic Ice	125	No evidence of cracks or defects present
Tumbled Olympic Tahoe	125	No evidence of cracks or defects present
Tumbled Olympic Gold	125	No evidence of cracks or defects present

Co-Efficient of Friction

Sample	Size	CF Dry	CF Wet	Result
Tumbled Olympic Pearl	8" x 8"	0.64	0.71	PASS
Tumbled Olympic Rose	8" x 8"	0.64	0.70	PASS
Tumbled Olympic Walnut	8" x 8"	0.66	0.68	PASS
Tumbled Olympic Oxford	8" x 8"	0.70	0.73	PASS
Tumbled Olympic Ice	8" x 8"	0.69	0.68	PASS
Tumbled Olympic Tahoe	8" x 8"	0.70	0.67	PASS
Tumbled Olympic Gold	8" x 8"	0.71	0.66	PASS

Compression Strength

Sample	Dry (Avg. PSI)	Wet (Avg. PSI)
Tumbled Olympic Pearl	13,149	10,758
Tumbled Olympic Rose	11,283	9,905
Tumbled Olympic Walnut	9,755	7,866
Tumbled Olympic Oxford	9,193	6,669
Tumbled Olympic Ice	8,827	6,932
Tumbled Olympic Tahoe	7,927	6,480
Tumbled Olympic Gold	5,579	3,604

All technical tests were completed by Metallurgical Inc. Testing & Consulting Services
Actual reports from institute are available upon request.

The Staff



*O*ur entire staff is trained with the industry knowledge necessary to assist you with all of your stone and marble needs. Because we understand the design process can be complicated, we are prepared to assist you.

*W*e make every effort to keep our warehouse stocked with the most popular material. Our goal is to provide you with what you need when you need it.



Our Staff

Our trained staff will assist you with the design process

Olympic Advantage

W

What is the Olympic advantage? Olympic specializes in natural stone products. You will receive 100% customer support from your Olympic product representative who is industry trained to assist you with all of your natural stone needs. The entire Olympic team is always available both before and after our material is installed for questions and follow up. Additionally, Olympic has one of the largest inventory as well as the broadest product line. With strategically placed warehouse locations throughout the country and our own fleet of trucks, we make shipping easy to coordinate. Begin your Olympic Stone experience today!



W

What are substitutes? Substitutes are typically concrete based products like pre-cast, herpel and Artistic pavers. Because they are concrete based, they require more work to keep clean and to maintain their appearance. They fade, mildew and get dirty much quicker than any natural stone product.

What is the standard delivery time? Product normally ships from our warehouse between 48 - 72 hours.

Can customers get broken crates? Is there a charge? Certain products are available in half crate quantities for a small additional charge.

Can you reserve inventory without a signed sales proposal? NO, without a valid signed sales proposal no material can be held under any circumstances.

Olympic begins with employee training and service

Service



Corporate Headquarters
1141 N.W. 31st Avenue • Pompano Beach, FL 33069
Toll Free: 866-40-STONE